	Application No.	Applicant(s)
Notice of Allowability		Applicant(s)
	10/808,597	DEHART ET AL.
	Examiner	Art Unit
	Robert G. Santos	3673
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the papers filed on 19 August 2005 and the telephonic interview held on 15 September 2005.		
2. The allowed claim(s) is/are 2-9 and 12-19, now renumbered as claims 1-16.		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	-	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary Paper No./Mail Date	
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 08192005		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
		PRIMARY EXAMINER

Application/Control Number: 10/808,597 Page 2

Art Unit: 3673

EXAMINER'S AMENDMENT

1. An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment which places this application in condition for allowance. During a telephone conversation conducted on September 15, 2005, Ms. Mary Michelle Kile requested an extension of time for ONE MONTH(S) and authorized the Director to charge Deposit Account No. 19-0741 the required fee of \$120.00 for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In paragraph 0001 of the disclosure, line 2: The phrase --now U.S. Design Patent No. 500,213,-- has been inserted before the term "filed".

2. The following is an examiner's statement of reasons for allowance: The examiner respectfully agrees with Applicant's arguments on pages 6-8 of their amendment stating that the Tharalson et al. '211 reference does not specifically teach the use of a child containment structure comprising a floor and a *continuous* sidewall having a lower edge *connected to a perimeter of the floor*, the sidewall including at least one *side* panel and at least one ventilation panel *positioned between the floor and the at least one side panel* wherein a height of the at least one ventilation panel *varies along its length* (in order to accommodate the adjustment of a

Art Unit: 3673

mattress pad disposed within the containment structure as disclosed by Applicants) and the maximum height of the at least one ventilation panel is *smaller* than a minimum height of the at least one side panel as particularly recited in independent claims 8 and 16, as well as the conditions wherein the at least one ventilation panel extends from a first *end* to a second *end* of the containment structure such that the height is *greater* at the first end than at the second end and wherein the *maximum* height of the at least one ventilation panel is at one *end* of the containment structure as recited in newly-added independent claims 18 and 19, respectively. Since an updated search of the prior art also did not yield any other references pertinent to Applicant's claims, it is considered that the application is currently in full and proper condition for allowance.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert G. Santos whose telephone number is (571) 272-7048. The examiner can normally be reached on Tues-Fr and first Mondays, 10:30 a.m. to 8:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather C. Shackelford can be reached on (571) 272-7049. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/808,597

Art Unit: 3673

Information regarding the status of an application may be obtained from the Patent

Page 4

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert G. Santos
Primary Examiner
Art Unit 3673

R.S. September 15, 2005

Annli